Site Pickup Evaluation/Inspection Check List

| Generating Activity: | Building Number: | | |
|--|------------------|-----|----|
| VC: Phone#: | | | |
| Authorized Site No: | _ | | |
| Items to be checked: | | | |
| items to be checked: | | Yes | No |
| | | | 1 |
| 1 Does the area have the appropriate Accumulation Sign? | iate Site | | |
| 2 Does the area have "No Smoking" signs? | | | |
| 3 Does the area have "Unauthorized Personnel Keep Out" signs? | | | |
| 4 Does the area have a sign for Emergency Notification Instructions? | | | |
| 5 Does the site have copy of Contingency Plan posted? | | | |
| 6 Does the site have adequate aisle space | | | |
| 7 Is communication equipment (telephone, radio, etc.) available | | | |
| 8 Are fire extinguishers available? Charged? Are seals Intact? | | | |
| 9 Is the spill Kit available? Serviceable? | | | |
| 10 Are drums available for over packing? | | | |
| 11 Are wastes stored with adequate containment? Protected? | | | |
| 12 Are containers DOT approved? | | | |
| 13 Are containers in good shape, no rust, holes, or dents? | | | |
| 14 Are bungs/rings secured? Tightly closed? | | | |
| 15 Are CCLs (Container Contents Logs present & completed? | | | |
| 16 Is current AUL (Authorized Use List) up to date? | | | |
| 17 Are containers adequately labeled? Have container ? number | | | |
| 18 Are containers compatible with stored materials or separated? | | | |
| 19 Are wastes and materials separated? | | | |
| 20 Do the labels have all the required information filled out? | | | |
| 21 Is the accumulation start date on HW labels? | | | |
| 22 Is AEC & HWC training up to date and current? | | | |
| 23 Our weekly inspections being done and current? | | | |
| 24 Does the site have a compatibil chart? | | | |